




max 4 pcs*



max 8 pcs*

mc 0,38
ft³ 13.4kg 5,5
lb 12.1

*EN: Only with panel for stacking

*IT: Solo con pannello impilaggio

EN: Armchair with upholstered seat, ash plywood backrest and steel tube frame

IT: Poltrona con sedile imbottito, schienale in multistrato di frassino e telaio in tubo di acciaio

DE: Sessel mit gepolstertem Sitz, Rückenlehne aus Eschenschichtholz und Stahlrohrgestell

FR: Fauteuil avec assise rembourrée, dossier en contreplaqué de frêne et structure en acier tubulaire.

ES: Sillón con asiento tapizado, respaldo de madera contrachapada de fresno y estructura de tubo de acero

MATERIALSMateriali
Materialien
Matériaux
Materiales**• BACKREST - SCHIENALE - RÜCKEN - DOSSIER - RESPALDO****EN: Backrest in curved plywood ash**

IT: Schienale in multistrato curvato di frassino

DE: Rückenlehne aus gebogenem Sperrholz Esche

FR: Dossier en frêne contreplaqué courbé

ES: Respaldo en contrachapado curvado de fresno

WOOD FINISH - FINITURA LEGNO - HOLZ AUSFÜHRUNG - FINITION BOIS - ACABADO MADERA**EN: Water-based paint, matt finish, anti-scratch**

IT: Verniciatura a base acqua, finitura opaca antigraffio

DE: Lack auf Wasserbasis, Ausführung matt, kratzfes

FR: Peinture à base d'eau, finition mate anti-rayures

ES: Pintura a base de agua, acabado mate, anti-arañazos



FR



N1

EN: Lacquered visible grains

IT: Laccato poro aperto

DE: Laqué pore ouvert

FR: Offenporig lackiert

ES: Lacado poro abierto



AN



GC



BI



BL2



AZ1



VE2



VE1



RB



RA



MO



MC

• SEAT - SEDILE - SITZ - ASSISE - ASIENTO**EN: Inner plywood seat, moulded expanded flexible polyurethane (density 60÷65kg/m³) fire-retardant (class 1 IM, EN 1021-1, EN 1021-2), covered with fabric**

IT: Pannello in multistrato, stampato in poliuretano espanso flessibile (densità 60÷65kg/m³) ignifugo (classe 1 IM, EN 1021-1, EN 1021-2), rivestito in tessuto

DE: Multiplex Panel, geformt aus flexiblem Polyurethan (Dichte 60÷65kg/m³) feuerfest (Klasse 1 IM, EN 1021-1, EN 1021-2), bezogen mit Stoff

FR: Panneau en multiplis, moulée en polyuréthane expansé flexible (densité 60÷65kg/m³) ignifuge (classe 1 IM, EN 1021-1, EN 1021-2), revêtues en tissu

ES: Panel de contrachapado, moldeada con espuma de poliuretano flexible (densidad 60÷65 kg/m³) ignífugo (clase 1 IM, EN 1021-1, EN 1021-2), forrado de tela

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. C (Excluding / Escluso C36÷C39, C10÷C22, C60÷C64, C90÷C95), D120÷D123, E, G (Excluding / Escluso G260÷G263, G270÷G272), H (Excluding / Escluso H150÷H151)

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• **FRAME - SUPPORTO - ABSTÜTZUNG - SUPPORT - SOPORTE****EN: Steel, tube Ø16 mm**

IT: Acciaio, tubo Ø16 mm

DE: Stahl, Rohr Ø16 mm

FR: Acier, tube Ø16 mm

ES: Acero, tubo Ø16 mm


FRAME FINISH - FINITURA SUPPORTO - AUSFÜHRUNG DES ABSTÜTZUNG - FINITION SUPPORT - ACABADO SOPORTE**EN: Powder coating**

IT: Verniciato con polvere

DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

EN: Liquid coating

IT: Verniciato a liquido

DE: Flüssig lackiert

FR: Peinture liquide

ES: Barnizado líquido



VOR

EN: Antique brass

IT: Ottone anticato

DE: Messing Antik

FR: Laiton vieilli

ES: Latón antiguo



OA

EN: Brushed bronze

IT: Bronzo satinato

DE: Bronze satiniert

FR: Bronze satiné

ES: Bronce satinado



BS

EN: Antique copper

IT: Rame anticato

DE: Antikes Kupfer

FR: Cuivre vieilli

ES: Cobre envejecido



RM

EN: Titanium

IT: Titanio

DE: Titan

FR: Titane

ES: Titanio



TN

• FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: In polypropylene, black, on request glide wiht felt /00 suitable for delicate and sensitive floors (wood, ceramics, marble)**IT: In polipropilene, nero, a richiesta piedini con feltrino /00 adatti per pavimenti delicati e sensibili (legno, ceramica, marmo)****DE: Polypropylen, schwarz, nach Bedarf Silzgleiter /00 für sanfte und zartfühlende Boden geeignet (Holz, Keramik, Marmor)****FR: En polypropylène, noir, sur demande patin avec feutre /00 pour sols délicats et sensibles (bois, marbre, céramique)****ES: De polipropileno, negro, bajo pedido tacos con fieltro /00 aptos para suelos delicados y sensibles (madera, cerámica, mármol)**

ACCESSORIES

Accessori
Zubehör
Accessoires
Accesorios

code IMP04_NE

EN: Panel for stacking**IT: Pannello di impilaggio****DE: Stapelbares Paneel****FR: Panneau d'empilage****ES: Panel apilable****EN: Stacking for velvet upholstery is not recommended****IT: Si sconsiglia l'impilaggio con il velluto**

code 1391.100

EN: Trolley**IT: Carrello****DE: Wagen****FR: Chariot****ES: Carrito**REGULATIONS
AND CERTIFICATESNormative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	3,36	61,58	YES	27	100
Polyethylene Polietilene	0,008	0,15	YES	0	100
Polyurethan foam Poliuretano espanso	0,38	6,96	NO	0	0
Ply wood Multistrato	1,61	29,51	YES	0	100
Fabric Tessuto	0,10	1,80	NO	0	0
TOTAL TOTALE	5,46 Kg	--	--	16,6 %	91,2 %

• PACKAGING RECYCLING - RICICLAGGIO IMBALLI - VERPACKUNGSRECYCLING - RECYCLAGE DES EMBALLAGES - RECICLAJE DE ENVASES

EN: Pedrali uses 100% FSC recycled cardboard packaging and plastic bags with a minimum recycled content of 35%.**IT: Pedrali utilizza imballi in cartone riciclato 100% FSC e scacchetti in plastica con %min riciclata del 35%****DE: Pedrali verwendet Verpackungen aus 100 % FSC-zertifiziertem Recyclingkarton und Plastikbeutel mit einem Mindestanteil von 35 % recyceltem Material.****FR: Pedrali utilise des emballages en carton recyclé 100 % FSC et des sachets plastiques contenant au minimum 35 % de matière recyclée.****ES: Pedrali utiliza embalajes de cartón reciclado 100 % FSC y bolsas de plástico con un contenido mínimo del 35 % de material reciclado.**